

Land Information Ontario Data Description

Lake Simcoe Protection Act Watershed Boundary

Disclaimer

This technical documentation has been prepared by the Ministry of Natural Resources (the “Ministry”), representing Her Majesty the Queen in right of Ontario. Although every effort has been made to verify the information, this document is presented as is, and the Ministry makes no guarantees, representations or warranties with respect to the information contained within this document, either express or implied, arising by law or otherwise, including but not limited to, effectiveness, completeness, accuracy, or fitness for purpose. The Ministry is not liable or responsible for any loss or harm of any kind arising from use of this information.

For an accessible version of this document, please contact Land Information Ontario at (705) 755 1878 or lio@ontario.ca

LIO Class Catalogue

Lake Simcoe Protection Act Watershed Boundary

Class Short Name: LSPAWB

Version Number: 1

Class Description:

The Lake Simcoe Protection Act Watershed Boundary (LSPAWB) was created to support the Lake Simcoe Protection Act. The boundary was first created by the Lake Simcoe Region Conservation Authority (LSRCA) in 2005 as part of a Source Water Protection boundary project using the LSRCA 2002 5-meter Digital Elevation Model (DEM) and the best available data at the time. The portions of the watershed where the boundary shared a border with the Toronto and Region Conservation Authority (TRCA) and the Nottawasaga Valley Conservation Authority (NVCA) were manually reviewed and updated through a series of consultations between agencies. The boundary was created in ArcHydro.

Abstract Class Name: SPMNTPOLY

Abstract Class

Description:

Spatial Multi-Non-Tessellating-Polygon: An object is represented by ONE or MORE polygons. Polygons may NOT overlap. HOLES within and GAPS between polygons ARE allowed. Example: the St. Lawrence Islands National Park, where the Park itself is made up of many islands.

Tables in LIO Class:

Lake Simcoe Protection Act Watershed Boundary

LAKE_SIMCOE_PAWB_FT

The Lake Simcoe Protection Act Watershed Boundary (LSPA WB) was created to support the Lake Simcoe Protection Act. The boundary was first created by the Lake Simcoe Region Conservation Authority (LSRCA) in 2005 as part of a Source Water Protection boundary project using the LSRCA 2002 5-meter Digital Elevation Model (DEM) and the best available data at the time. The portions of the watershed where the boundary shared a border with the Toronto and Region Conservation Authority (TRCA) and the Nottawasaga Valley Conservation Authority (NVCA) were manually reviewed and updated through a series of consultations between agencies.

Column Name	Column Type	Mandatory	Short Name	Valid Values
OGF_ID	NUMBER (13,0)	Yes	OGF_ID	
A unique numeric provincial identifier assigned to each object.				
AREA_NAME	VARCHAR2 (50)	Yes	AREA_NAME	
The name of the feature.				
VERSION_NUMBER	NUMBER (3,0)	Yes	VERS_NUM	
The version number changes each time a new boundary version is approved by the MOE Director. Version numbers increase by whole number, and no sub-number will be accepted in the OLIW structured product.				
SUBMISSION_DATE	DATE	Yes	SUBM_DATE	
The date that the dataset is submitted into OLIW. This will be reflected as 1 day after the edit is submitted through NRVIS. Similar to effective date/time in common tables, but documented by the business area as the date submitted.				
VERSION_DATE	DATE	Yes	VERS_DATE	
Refers to the date/time that the boundary was approved by MOE Director.				
FEATURE_AREA	NUMBER (8,2)	Yes	AREA	
The area of the Lake Simcoe Protection Act Watershed Boundary, measured in square kilometers, calculated with the UTM projection.				
LOCATION_ACCURACY	VARCHAR2 (25)	Yes	ACCURACY	Not Applicable, Over 10,000 metres, Within 1 metre, Within 10 metres, Within 10,000 metres, Within 100 metres, ... (See LOCATION_ACCURACY_LIST table)
The degree of conformity or closeness of a measurement within the database to its true value in the world.				

GEOMETRY_UPDATE_DATETIME DATE No GEO_UPD_DT

Date/time the geometry was created or last modified in the source database.

EFFECTIVE_DATETIME DATE Yes EFF_DATE

Date/time the record was created or last modified in the source database.

CLASS_JUSTIFICATION

The justification for the addition of or changes to a geographic feature.

Column Name	Column Type	Mandatory	Short Name	Valid Values
-------------	-------------	-----------	------------	--------------

OGF_ID	NUMBER (13,0)	Yes	OGF_ID	
---------------	------------------	-----	--------	--

A unique numeric provincial identifier assigned to each object.

JUSTIFICATION_REASON	VARCHAR2 (2000)	Yes	REASON	
-----------------------------	--------------------	-----	--------	--

Reason for justification of the existence of a geographic feature.

CLASS_SHORT_NAME	VARCHAR2 (8)	Yes	CLASS_NAME	
-------------------------	-----------------	-----	------------	--

System-generated column denoting the data class which this record is part of.

JUSTIFICATION_DATE	DATE	Yes	JUSTIF_DT	
---------------------------	------	-----	-----------	--

Date that the geographic feature was justified.

EFFECTIVE_DATETIME	DATE	Yes	EFF_DATE	
---------------------------	------	-----	----------	--

Date/time the record was created or last modified in the source database.

CLASS_SOURCE

Intersection table between the data class and Source List table.

Column Name	Column Type	Mandatory	Short Name	Valid Values
-------------	-------------	-----------	------------	--------------

OGF_ID	NUMBER (13,0)	Yes	OGF_ID	
---------------	------------------	-----	--------	--

A unique numeric provincial identifier assigned to each object.

SOURCE_NAME	VARCHAR2 (100)	Yes	SOURCE_NAM	AFFM Provincial Administrative Maps, Aerial Photography, Aerial Survey, Book/Publication, CIR Photograpy, City of Ottawa Borehole Database, ... (See SOURCE_LIST table)
--------------------	-------------------	-----	------------	--

The name of the source.

SOURCE_DETAIL	VARCHAR2 (254)	Yes	SOURCE_DET	
----------------------	-------------------	-----	------------	--

What part of the source pertains to the feature. Examples: Summary data from a data base, pages in a book or atlas, figure number and page from a publication, a section of a map, record in a database.

CLASS_SHORT_NAME	VARCHAR2 (8)	Yes	CLASS_NAME
-------------------------	-----------------	-----	------------

Unique abbreviation of the concrete class name (primary key)

SOURCE_DESCR	VARCHAR2 (2000)	No	SOURCE_DES
---------------------	--------------------	----	------------

Text providing details about the source.

METHOD_DESCR	VARCHAR2 (2000)	No	METHOD
---------------------	--------------------	----	--------

The type of method, tools, and techniques used in observing/collecting/recording the Source. It may also include a URL where users could get further information on the method used.

SOURCE_APPLICABILITY	VARCHAR2 (20)	No	APPLICABIL
-----------------------------	------------------	----	------------

How the source contributes to the feature's definition.

EFFECTIVE_DATETIME	DATE	Yes	EFF_DATE
---------------------------	------	-----	----------

Date/time the record was created or last modified in the source database.

LOCATION_ACCURACY_LIST

List of valid LOCATION_ACCURACYS.

Column Name	Column Type	Mandatory	Short Name	Valid Values
-------------	-------------	-----------	------------	--------------

LOCATION_ACCURACY	VARCHAR2 (25)	Yes	ACCURACY	
--------------------------	------------------	-----	----------	--

The accuracy of the location of the feature at an OBM scale. The degree of conformity or closeness of a measurement to the true value.

EFFECTIVE_DATETIME	DATE	Yes	EFF_DATE
---------------------------	------	-----	----------

Date/time the record was created or last modified in the source database.

EXPIRY_DATETIME	DATE	No	EXP_DATE
------------------------	------	----	----------

Date/time that the record was expired from use.

SOURCE_LIST

A description of the source information that is the basis for creating or changing information about a geographic feature. It may be an observation, possibly resulting from a field survey or an adhoc report or a reference to a published or unpublished document.

Column Name	Column Type	Mandatory	Short Name	Valid Values
-------------	-------------	-----------	------------	--------------

SOURCE_NAME	VARCHAR2 (100)	Yes	NAME	
--------------------	-------------------	-----	------	--

The name of the source.

SOURCE_DATE	VARCHAR2 (50)	No	SRC_DATE
--------------------	------------------	----	----------

The date of the source.

SOURCE_ORIGINATOR	VARCHAR2 (75)	No	ORIGINATOR
--------------------------	------------------	----	------------

The originator or author of the source. Includes the author(s) of a book; the originator(s) of a survey or project, etc.Examples: Smith, J. Smith, J. and Jones, K. Smith, J., Jones, K. and White, T. Anon. (where no author identified) OMNR (where authorship is corporate) Northwest District (lead and delivered the data collection project)

SOURCE_SCALE	VARCHAR2 (15)	No	SCALE
---------------------	------------------	----	-------

The scale of the vector base or aerial photography, the cell resolution of a grid, or the pixel resolution of an image used to record the location of the feature. Examples: For a vector source or aerial photography: 1:10,000 1:20,000 1:250,000. For a grid or imagery source: 1 km, 10 m, 15 seconds.

HORIZONTAL_DATUM	VARCHAR2 (10)	No	H_DATUM
-------------------------	------------------	----	---------

Identifies the reference system used for defining the coordinates of points. There are three common horizontal datum systems used in Ontario: NAD83, NAD27, NAD27 with 1974 adjustment. The datum models the shape of the earth.

VERTICAL_DATUM	VARCHAR2 (30)	No	V_DATUM
-----------------------	------------------	----	---------

The zero surface to which elevations or heights are referred is called a vertical datum. Traditionally, surveyors and mapmakers have tried to simplify the task by using the average (or mean) sea level as the definition of zero elevation, because the sea surface is available worldwide. MSL is a close approximation to another surface, defined by gravity, called the geoid, which is the true zero surface for measuring elevations. Example: WGS-84 EGM96 Geoid.

SOURCE_PROJECTION	VARCHAR2 (40)	No	PROJECTION
--------------------------	------------------	----	------------

The name of a systematic representation of all or part of the surface of the Earth on a plane or developable surface.

EFFECTIVE_DATETIME	DATE	Yes	EFF_DATE
---------------------------	------	-----	----------

Date/time the record was created or last modified in the source database.

EXPIRY_DATETIME	DATE	No	EXP_DATE
------------------------	------	----	----------

Date/time that the record was expired from use.

LIO Lookup Table Values:
LOCATION_ACCURACY_LIST

LOCATION ACCURACY	EXPIRY DATETIME
Not Applicable	
Over 10,000 metres	
Within 1 metre	
Within 10 metres	
Within 10,000 metres	
Within 100 metres	
Within 1000 metres	
Within 2 metres	
Within 20 metres	
Within 200 metres	
Within 2000 metres	
Within 5 metres	
Within 50 metres	
Within 500 metres	
Within 5000 metres	
AC Accurate (to 10m)	2007-01-12
AP Approximate (to 500m)	2007-01-12
GE General (to 10,000m)	2007-01-12
MO Moderate (to 1000m)	2007-01-12
RE Reliable (to 100m)	2007-01-12
VA Very Accurate (to 2m)	2007-01-12
VG Vague (to 100,000m)	2007-01-12
^ Data Load	2007-01-12

LIO Lookup Table Values:

SOURCE_LIST

SOURCE NAME	SOURCE DATE	SOURCE ORIGINATOR	SOURCE SCALE	HORIZONTAL DATUM	VERTICAL DATUM	SOURCE PROJECTION	EXPIRY DATETIME
AFFM Provincial Administrative Maps		Ministry of Natural Resources	600000				
Aerial Photography		Ministry of Natural Resources	15840				
Aerial Survey							
Book/Publication							
CIR Photograpy		Ministry of Natural Resources					
City of Ottawa Borehole Database	1883 - 2006	City of Ottawa	Varies		Mean Average Sea Level	Geodetic and UTM	
Digital File							
Digital Map							
Field Survey\Site Visit							
File System/Filing Cabinet Information							
Forest Resources Inventory		Ministry of Natural Resources		NAD27		UTM	
GPS Data Collection							
Hard Copy/Paper Map							
IKONOS Multispectral		Ministry of Natural Resources					
IKONOS Panchromatic		Ministry of Natural Resources					
IRS Multispectral		Ministry of Natural Resources					
IRS Panchromatic		Ministry of Natural Resources					
IRS Pansharpened		Ministry of Natural Resources					

Landsat-1,2,3 MSS		Ministry of Natural Resources					
Landsat-4,5 MSS		Ministry of Natural Resources					
Landsat-7 ETM		Ministry of Natural Resources					
Local Borehole Drilling Program Results	2006	Ministry of Northern Development and Mines			Mean Average Sea Level		
Local Knowledge							
MNDM Assesment File							
MNDM Client/Company Information							
MNR Based Observation							
MTO Engineering Reports	Varies	Ministry of Transportation	Varies		Mean Average Sea Level		
NRCan - CanVec	2008	Natural Resources Canada	50000	NAD83			
NRCan - National Hydro Network	2008	Natural Resources Canada	50000	NAD83			
NTS Map 1:250000	1970 to 2003	Department of Natural Reosurces	250000	NAD27			
NTS Map 1:50000	1970 to 2003	Department of Natural Resources	50000	NAD27			
Ontario Base Map 1:10000	1978 to 1995	Ministry of Natural Resources	10000	NAD27		UTM	
Ontario Base Map 1:20000	1978 to 1995	Ministry of Natural Resources	20000	NAD27		UTM	
Ontario Geological Survey Fieldwork Mapping	Varies to 2004	Ontario Geological Survey	1:50,000	NAD83	Mean Average Sea Level	Universal Transvers Mercator	
Ontario Parcel				NAD83			
OrthoImagery		Ministry of Natural Resources					
Public Observation							

Quaternary Geology Study	Varies	Ministry of Northern Development and Mines			Mean Average Sea Level		
Unknown	11-12-02						
Urban Geology Automated Information System (UGAIS)	1956-1972	Geological Survey of Canada	Varies	NAD27	Mean Average Sea Level	Universal Transverse Mercator	
Water Well Data Improvement Project	2006	Ministry of Natural Resources, Water Resources Information Program	Varies	NAD83	Mean Average Sea Level	Geodetic	
Water Well Information System (WWIS)	1899 - 2003	Ministry of the Environment, Environmental Monitoring and Reporting Branch	Varies	NAD27	Mean Average Sea Level	Universal Transverse Mercator	
Waterloo Area Geology Automated Information System (WAGAIS)	1900 - 1977	Geological Survey of Canada	Varies	NAD27	Mean Average Sea Level	Universal Transverse Mercator	
External Source from NRVIS 2							2007-01-12
Internal Source from NRVIS 2							2007-01-12
Material Source from NRVIS 2							2007-01-12
Ontario Base Map	1978 to 1995	Ministry of Natural Resources		NAD27		UTM	2007-01-12
Source Observation from NRVIS 2							2007-01-12
Unknown Imagery							2007-01-12